### **HORMONE THERAPY PRODUCTS IN CANADA**

**Table 1: Estrogen Products in Canada** 

Type of Estrogen	Trade Names	Strengths Available	Comments	
Oral Estrogen				
conjugated estro- gen (CE)	Premarin®	0.3, 0.625, 1.25 mg tablets	One tablet daily	
17β estradiol	Estrace®	0.5, 1, 2 mg tablets	One tablet daily	
Transdermal Estrogen Patches				
17β estradiol patch	Estradot®	25, 37.5, 50, 75, 100 μg patches	Twice weekly application	
	Sandoz Estradiol Derm <sup>®</sup> (generic)	50, 75, 100 μg patches	Twice weekly application	
	Oesclim <sup>®</sup>	25, 50 μg patches	Twice weekly application	
	Climara®	25, 50, 75, 100 μg patches	Once weekly application	
Transdermal Estrogen Gel				
17β estradiol gel	Estrogel®	0.75 mg estradiol per 1.25 g metered dose(=one actuation)	Daily application, use in same area (do not rotate sites)	
	Divigel®	0.25, 0.5, 1 mg individual packets	Daily application	
	•		43	

## **HORMONE THERAPY PRODUCTS IN CANADA (CONT.)**

**Table 2: Vaginal Estrogen Products in Canada** 

Type of Estrogen	Trade Names	Strengths Available	Comments
conjugated estrogen (CE)	Premarin® Vaginal Cream	0.625 mg/gram vaginal cream Refillable applicator	0.5 gm (0.3 mg) vaginally daily for 14 days, then 0.5 gm (0.3 mg) 2 – 3 times weekly
17β estradiol	Vagifem® vaginal inserts	10 μg vaginal tablet with applicator	one tablet vaginally daily for 14 days, then one tablet twice weekly
17β estradiol	Estring® vaginal ring	2 mg/vaginal ring	Inserted every 3 months
estrone	Estragyn® 0.1% vaginal cream	1 mg/gm vaginal cream Refillable applicator	0.5-4 gm $(0.5-4$ mg) daily cyclic (3 weeks on, one week off) or $2-3$ times weekly*

<sup>\*</sup>note: the product monograph for Estragyn® recommends cyclic (three weeks on, one week off) and concomitant progestogen therapy



## HORMONE THERAPY PRODUCTS IN CANADA (CONT.)

**Table 3: Progestogen Products in Canada** 

Type of Progestogen	Trade Names	Strengths Available	Comments		
Oral progestogen	Oral progestogen				
progesterone, micronized	Prometrium <sup>®</sup> , generics	100 mg capsule	Take at bedtime because of sedating effect. Note: generics may contain peanut oil		
medroxyprogesterone acetate	Provera®, generics	2.5, 5, 10 mg tablets			
norethindrone acetate	Norlutate®	5 mg tablets			
Levonorgestrel intrauterine system (IUS)					
levonorgestrel IUS	Mirena®*	52 mg/IUS, for 5 years	Off-label use		

<sup>\*</sup>Mirena is the only LNG-IUS marketed in Canada that has evidence for endometrial protection

# **HORMONE THERAPY PRODUCTS IN CANADA (CONT.)**

**Table 4: Combination Hormone Therapy Products in Canada** 

Туре	Trade Names	Strengths Available	Comments		
Oral Combination Estrogen and Progestogen Products					
17B estradiol/ noreth- indrone acetate	Activelle®	1 mg estradiol/0.5 mg norethindrone tablet	One tablet daily		
marone decide	Activelle® LD	LD - 0.5 mg/0.1 mg tablet			
17B estradiol/ drospi- renone	Angeliq <sup>®</sup>	1 mg estradiol/1 mg drospirenone tablet	One tablet daily		
Transdermal Combinati	Transdermal Combination Estrogen and Progestogen Products				
17B estradiol/ noreth- indrone acetate	Estalis® patch 140/50	140/50 (50 μg estradiol/140 μg norethindrone) 250/50 (50 μg estradiol/250 μg norethindrone)	Twice weekly application		
Tissue Selective Estrogen Complex (TSEC) – Estrogen and selective estrogen receptor modulator (SERM)					
conjugated estrogen (CE)/ bazedoxifene	Duavive®	0.45 mg CE/20 mg bazedoxifene tablet	One tablet daily		



**Table 5: Suggested Doses in Hormone Therapy Regimens** 

Type of Product	Starting Doses	
Estrogen*		
Oral estrogen: conjugated estrogen (CE) 17ß-estradiol oral	0.3 - 0.625 mg tablet daily 0.5 – 1 mg tablet daily	
Transdermal estrogen: 17ß-estradiol (patch) 17ß-estradiol (gel)	25 – 50 μg patches once or twice weekly (see transdermal estrogen products) 1 - 2 metered doses/actuation daily (Estrogel®) 0.5 – 1 mg packets daily (Divigel®)	
Progestogen		
Oral progestogens: progesterone micronized medroxyprogesterone acetate	100 mg daily for continuous regimen** 200 mg daily for 12 – 14 days/month for cyclic regimen* 2.5 mg daily continuous regimen* 5 mg cyclic regimen (12 -14 days/month)*	
Combined Patches: 17ß-estradiol/norethin- drone acetate	50/140 μg continuous regimen twice weekly patch 50/140 μg or 50/250 μg cyclic regimen (i.e., 12 - 14 days/month) twice weekly patch	

<sup>\*</sup>higher doses of progestogens will be required when higher estrogen doses are used

\*\*off-label use

#### NON-HORMONAL MEDICATIONS FOR MENOPAUSE IN CANADA

**Table 6: Non-hormonal Medications for Menopausal Vasomotor Symptoms (VMS)** 

Drug	Trade Names/Strengths Available	Doses	Comments	
Serotonin-Norepin	ephrine Reuptake Inhibitors	(SNRI)		
venlafaxine*	Effexor XR <sup>®</sup> , generics 37.5, 75, 150 mg caps	37.5 mg – 150 mg	Start 37.5 mg daily x 1 week, then increase to 75 mg daily. Taper to discontinue.	
desvenlafaxine*	Pristiq®, generic 50, 100 mg tabs	100 - 150 mg daily	Start with 50 mg, then increase to 100 mg over a few days. Taper to discontinue.	
Selective Serotonin	Selective Serotonin Reuptake Inhibitors (SSRI)			
paroxetine*	Paxil CR <sup>®</sup> , generics 12.5, 25 mg tabs	12.5 – 25 mg daily	Taper to discontinue	
fluoxetine*	Prozac <sup>®</sup> , generics 10, 20 mg caps	20 mg daily		
citalopram*	Celexa®, generics 20, 40 mg tabs	20 mg daily	Taper to discontinue.	
escitalopram*	Cipralex®, generics 10, 20 mg tabs	10 – 20 mg daily	Taper to discontinue	

# NON-HORMONAL MEDICATIONS FOR MENOPAUSE IN CANADA (CONT.)

Table 7: Non-hormonal Medications for Menopausal Vasomotor Symptoms (VMS) (CONT.)

Drug	Trade Names/Strengths Available	Doses	Comments		
Alpha-adrenergic a	gonists				
clonidine	generic** 0.025 mg tabs	0.05 mg bid	Some women may require higher doses (ie 0.05 mg tid), but side effects may limit use. Taper slowly to discontinue		
Gabapentinoids	Gabapentinoids				
gabapentin*	Neurontin®, generics 100, 300, 400 mg caps 600, 800 mg tabs	Start 300 mg daily, then increase to 300 mg tid at 3 – 4 day intervals***	May take 1 – 2 weeks to see effective dose for VMS		
pregabalin*	Lyrica®, generics 25, 50, 75, 100, 150, 200, 225, 300 mg caps	150 – 300 mg daily	Less well studied in menopause		

<sup>\*</sup>off-lable use (not approved by Health Canada for this indication)

<sup>\*\*</sup>Dixarit® tablets have been discontinued

<sup>\*\*\*</sup>doses of 2,400 mg of gabapentin have been used in one study but were associated with more side effects